

MSDS# 21300

Section 1 - Chemical Product and Company Identification

MSDS Name: Sodium hydroxide, solid

Catalog Numbers: S71990, S71990-1, S71991, S71992, S71993, S78605, S93368, S93369, BP359-212, BP359-500, S318-1, S318-10, S318-100, S318-10LC, S318-3, S318-3LC, S318-5, S318-50, S318-500, S318-50LC, S320-1, S320-10, S320-3, S320-50, S320-500, S392-12, S392-12LC, S392-212, S392-50, S392SAM1, S392SAM2, S392SAM3, S399-1, S399-212, S399-50, S399-500, S612-3, S612-3500LB, S612-50, S612-500LB, S613-10, S613-3, S613-50, S613-500LB

Synonyms: Caustic soda; Soda lye; Sodium hydrate; Lye.

Company Identification: Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410

For information in the US, call: 201-796-7100

Emergency Number US: 201-796-7100

CHEMTREC Phone Number, US: 800-424-9300

Section 2 - Composition, Information on Ingredients

Risk Phrases:

CAS#: 497-19-8
Chemical Name: Sodium carbonate
%: <3.0
EINECS#: 207-838-8
Hazard Symbols:

Risk Phrases: 35

CAS#: 1310-73-2
Chemical Name: Sodium hydroxide
%: 95-100
EINECS#: 215-185-5
Hazard Symbols: C

Text for R-phrases: see Section 16

Hazard Symbols: C



Risk Phrases: 35

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Danger! Hygroscopic (absorbs moisture from the air). Causes eye and skin burns. Causes digestive and respiratory tract burns. Target Organs: Eyes, skin, mucous membranes.

Potential Health Effects

Eye: Causes eye burns. May cause blindness. May cause chemical conjunctivitis and corneal damage.
 Skin: Causes skin burns. May cause deep, penetrating ulcers of the skin.
 Ingestion: May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. May cause perforation of the digestive tract. Causes severe pain, nausea, vomiting, diarrhea, and shock.
 Inhalation: Irritation may lead to chemical pneumonitis and pulmonary edema. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. Causes chemical burns to the respiratory tract.
 Chronic: Prolonged or repeated skin contact may cause dermatitis. Effects may be delayed.

Section 4 - First Aid Measures

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid immediately.
 Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.
 Ingestion: If swallowed, do NOT induce vomiting. Get medical aid immediately. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person.
 Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.
 Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to keep fire-exposed containers cool. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. Contact with metals may evolve flammable hydrogen gas.
 Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Do NOT get water inside containers.
 Autoignition Temperature: Not applicable.
 Flash Point: Not applicable.
 Explosion Limits: Lower: Not available
 Explosion Limits: Upper: Not available
 NFPA Rating: health: 3; flammability: 0; instability: 1;

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.
 Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Do not get water on spilled substances or inside containers.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Do not allow water to get into the container because of violent reaction. Minimize dust generation and accumulation. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Avoid ingestion and inhalation. Discard contaminated shoes. Use only with adequate ventilation.
 Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from metals. Corrosives area. Keep away from acids. Store protected from moisture. Containers must be tightly closed to prevent the conversion of NaOH to sodium carbonate by the CO₂ in air.

Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Sodium carbonate	none listed	none listed	none listed
Sodium hydroxide	2 mg/m ³ Ceiling	10 mg/m ³ IDLH	2 mg/m ³ TWA

OSHA Vacated PELs: Sodium carbonate: None listed Sodium hydroxide: None listed

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Personal Protective Equipment

Eyes: Wear chemical splash goggles and face shield.

Skin: Wear butyl rubber gloves, apron, and/or clothing.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties

Physical State: Solid

Color: white

Odor: Odorless

pH: 14 (5% aq soln)

Vapor Pressure: 1 mm Hg @739 deg C

Vapor Density: Not available

Evaporation Rate: Not available

Viscosity: Not available

Boiling Point: 1390 deg C @ 760 mmHg (2,534.00°F)

Freezing/Melting Point: 318 deg C (604.40°F)

Decomposition Temperature: Not available

Solubility in water: Soluble

Specific Gravity/Density: 2.13 g/cm³

Molecular Formula: NaOH

Molecular Weight: 40

Section 10 - Stability and Reactivity

Chemical Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Conditions to Avoid: Moisture, contact with water, exposure to moist air or water, prolonged exposure to air.

Incompatibilities with Other Materials: Water, metals, acids, aluminum, zinc, tin, nitromethane, leather, flammable liquids, organic halogens, wool.

Hazardous Decomposition Products: Toxic fumes of sodium oxide.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicological Information

RTECS#: CAS# 497-19-8: VZ4050000

CAS# 1310-73-2: WB4900000

RTECS:

CAS# 497-19-8: Draize test, rabbit, eye: 100 mg/24H Moderate;

Draize test, rabbit, eye: 50 mg Severe;

Draize test, rabbit, skin: 500 mg/24H Mild;

Inhalation, mouse: LC50 = 1200 mg/m³/2H;

Inhalation, rat: LC50 = 2300 mg/m³/2H;

Oral, mouse: LD50 = 6600 mg/kg;

Oral, mouse: LD50 = 6600 mg/kg;

LD50/LC50: Oral, rat: LD50 = 4090 mg/kg;

RTECS:

CAS# 1310-73-2: Draize test, rabbit, eye: 400 ug Mild;

Draize test, rabbit, eye: 1% Severe;

Draize test, rabbit, eye: 50 ug/24H Severe;

Draize test, rabbit, eye: 1 mg/24H Severe;

Draize test, rabbit, skin: 500 mg/24H Severe;

.

Carcinogenicity: Sodium carbonate - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.
Sodium hydroxide - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information found

Teratogenicity: No information found

Reproductive: No information found

Neurotoxicity: No information found

Mutagenicity: See actual entry in RTECS for complete information.

Other: See actual entry in RTECS for complete information.

Section 12 - Ecological Information

Not available

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed.

Section 14 - Transport Information

US DOT

Shipping Name: SODIUM HYDROXIDE, SOLID

Hazard Class: 8

UN Number: UN1823

Packing Group: II

Canada TDG

Shipping Name: SODIUM HYDROXIDE SOLID

Hazard Class: 8

UN Number: UN1823

Packing Group: II

USA RQ: CAS# 1310-73-2: 1000 lb final RQ; 454 kg final RQ

Section 15 - Regulatory Information

US Federal

TSCA

CAS# 497-19-8 is listed on the TSCA
Inventory.

CAS# 1310-73-2 is listed on the TSCA
Inventory.

Health & Safety Reporting List None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules None of the chemicals in this product are under a Chemical Test Rule.

Section 12b None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs CAS# 1310-73-2: 1000 lb final RQ; 454 kg final RQ

SARA Section 302 Extremely Hazardous None of the chemicals in this product have a TPQ.

Substances

SARA Codes CAS # 497-19-8: acute. CAS # 1310-73-2: acute, reactive.

Section 313 No chemicals are reportable under Section 313.

Clean Air Act: This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters.

Clean Water Act: CAS# 1310-73-2 is listed as a Hazardous Substance under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

STATE Sodium carbonate is not present on state lists from CA, PA, MN, MA, FL, or NJ. Sodium hydroxide can be found on the following state right to know lists: California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: C

Risk Phrases:

R 35 Causes severe burns.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

WGK (Water Danger/Protection)

CAS# 497-19-8: 1

CAS# 1310-73-2: 1

Canada

CAS# 497-19-8 is listed on Canada's DSL List

CAS# 1310-73-2 is listed on Canada's DSL List

Canadian WHMIS Classifications: E

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 497-19-8 is listed on Canada's Ingredient Disclosure List

CAS# 1310-73-2 is listed on Canada's Ingredient Disclosure List

Section 16 - Other Information

MSDS Creation Date: 12/12/1997

Revision #9 Date 6/29/2007

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.
